

ATS040T-P120-B1 | 40 Watt



image similar

Level VI
CoC Tier 2

40 Watt Series

Small Size Desktop Type

ATS040T - □ X X X

P : C6 / C14 O / P Voltage
A : C8


Green Mode
CEC, DoE Level VI, Energy Star, ErP Stage 2, CoC Tier 2 & GEMS Level VI
No Load Power Consumption Less Than 0.075W

- Features :**
- IEC/EN/UL 62368-1
 - 100-240VAC Universal Input
 - Single Output to 40W
 - Regulated Output With Low Ripple Noise
 - Safety Agency Requirements and EMI/EMS Certified
 - Modified and Custom Design on request
 - 3 Year Warranty

Model	O/P Voltage	O/P Current	Watt
ATS040T-P120-B1	12.0V	3.30A	40W

Input	
Voltage	100-240VAC
Line Frequency	50-60Hz
Current	1A Max.
Protection	Internal Primary Current Fuse
Configuration	IEC60320/C14

3Pin Mini XLR Female Connector Pin Assignment



Output	
Load Regulation	±5% (Typical)
Ripple & Noise	1% Vp-p Max. for Output Voltage@ Full Load
Transient Response	0.5mS for 50% Load Change Typical
Hold-up Time	10mS @ Full Load
Protection	Short Circuit Protection / Over Voltage Protection / Over Current Protection
DC Cord	18AWG
Ferrite Core	No (Optional)

Safety Approvals
CB / UL / cUL / FCC / GS / CE / PSE / BSMI / CCC / RCM / LPS

Electrical	
Topology	Switching Flyback
Dielectric Withstand	3000VAC Primary - Secondary
Leakage Current	0.25mA @ 2Pin / 3.5mA @ 3Pin
Efficiency	DoE Level VI, Energy Star, ErP Stage 2, CoC Tier 2 & GEMS Level VI Certified
EMC Standards	EN55032 EN61000-3-2,3 EN55035
MTBF	300,000 Calculated Hours at 25°C , by Telcordia SR-332

Environmental	
Operating Temperature	0 to + 40°C
Storage Temperature	-20 to + 80°C
Relative Humidity	Operating : 20 to 80% RH Storage : 10 to 90% RH
Cooling	Natural Convection Cooling

Mechanical	
Case Dimension	L 99 x W 33 x H 50 (mm)
Weight	200g (Ref.)

Please note for P versions:

The -Vout (secondary GND) is connected to PE as functional earth. If your application needs a safety earth an extra direct PE connection to earth must be implemented!

Specification is subject to change without notice. Errors excepted. Status as at: 12.12.2023

